
## Transferrin Receptor / TFRC / CD71 Antibody (FITC), Mouse MAb







GENERAL INFORMATION	
Immunogen:	Recombinant Human Transferrin Receptor / TFRC / CD71 Protein (Catalog#11020-H07H)
Reagents:	FITC-conjugated Mouse monoclonal antibody
Preparation	This antibody was produced from a hybridoma resulting from the fusion of a mouse myeloma with B cells obtained from a mouse immunized with purified, recombinant Human Transferrin Receptor / TFRC / CD71 (rh Transferrin Receptor / TFRC / CD71; Catalog#11020-H07H; NP_003225.2; Cys89-Phe760) and conjugated with FITC under optimum conditions, the unreacted FITC was removed.
lg Type:	Mouse IgG1
Clone ID:	03
Specificity:	Human Transferrin Receptor / TFRC / CD71
Concentration:	10 µl/Test, 0.1 mg/ml
Formulation:	Aqueous solution containing 0.5% BSA and 0.09% sodium azide
Storage:	This antibody can be stored at $2^{\circ}$ C-8°C for twelve months without detectable loss of activity. Protected from prolonged exposure to light. Do not freeze! Sodium azide is toxic to cells and should be disposed of properly. Flush with large volumes of water during disposal.
Alternative Names:	CD71,p90,T9,TFR,TFR1,TR,TRFR
APPLICATIONS	
Applications:	FCM

Please Note: Optimal concentrations/dilutions should be determined by the end user.

## Transferrin Receptor / TFRC / CD71 Antibody (FITC), Mouse MAb







Flow cytometric analysis of Human TFRC(CD71) expression on U937 cells. Cells were stained with FITC-conjugated anti-Human TFRC(CD71). The fluorescence histograms were derived from gated events with the forward and side light-scatter characteristics of intact cells.

Flow cytometry was performed on a BD FACSCalibur flow cytometry system. Please refer to www.sinobiological.com/Flow-Cytometry-FACS-Protocols-a-750.html for technical protocols.