

# Influenza A H1N1 (Swine Flu 2009) Hemagglutinin / HA Antibody, Rabbit Pab, Antigen Affinity Purified

Catalog Number: 11055-T60



Sino Biological  
Biological Solution Specialist

## GENERAL INFORMATION

<b>Immunogen:</b>	Recombinant H1N1 HA protein
<b>Preparation</b>	Produced in rabbits immunized with purified, recombinant recombinant Influenza A virus H1N1 Hemagglutinin / HA. Hemagglutinin / HA specific IgG was purified by Influenza A virus H1N1 Hemagglutinin / HA affinity chromatography.
<b>Ig Type:</b>	Rabbit IgG
<b>Specificity:</b>	H1N1 (A/California/04/2009) HA
<b>Formulation:</b>	0.2 µm filtered solution in PBS
<b>Storage:</b>	This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free. Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles.

## APPLICATIONS

<b>Applications:</b>	WB,ELISA
	IHC, FCM, IF, IP et al. applications haven't been validated. (Antibody's applications haven't been validated with corresponding virus positive samples. Optimal concentrations/dilutions should be determined by the end user.)

## RECOMMENDED CONCENTRATION

<b>Western Blot</b>	WB: 1:500-1:2000
<b>ELISA</b>	ELISA: 1:5000-1:10000 This antibody can be used at 1:5000-1:10000 with the appropriate secondary reagents to detect H1N1 (A/California/04/2009) HA.

**Please Note: Optimal concentrations/dilutions should be determined by the end user.**

**Influenza A H1N1 (Swine Flu 2009)  
Hemagglutinin / HA Antibody, Rabbit  
Pab, Antigen Affinity Purified**

Catalog Number: 11055-T60



Sino Biological  
Biological Solution Specialist



Anti-Influenza A H1N1 (A/California/04/2009)  
Hemagglutinin / HA rabbit polyclonal antibody  
at 1:500 dilution.

Sample: Influenza A H1N1  
(A/California/04/2009) Hemagglutinin / HA  
Recombinant Protein

Lane A: 100ng

Lane B: 10ng

Secondary

Goat anti Rabbit IgG (H+L)/HRP at 0.4ug/ml

Performed under reducing conditions.