Human PARP-3 / PARP3 Protein (His & GST Tag)

Catalog Number: 11190-H20B



General Information

Gene Name Synonym:

ADPRT3; ADPRTL2; ADPRTL3; ARTD3; IRT1; PADPRT-3

Protein Construction:

A DNA sequence encoding the C-terminal segment of human PARP3 isoform 1 (Q9Y6F1-1) (Met 1-Leu 533) was fused with the N-terminal polyhistidine-tagged GST tag at the N-terminus.

Source: Human

Expression Host: Baculovirus-Insect Cells

QC Testing

Purity: > 85 % as determined by SDS-PAGE

Endotoxin:

< 1.0 EU per μg of the protein as determined by the LAL method

Stability:

Samples are stable for up to twelve months from date of receipt $\,$ at -70 $\,$ $^{\circ}$ C

Predicted N terminal: Met

Molecular Mass:

The recombinant human PARP3/GST chimera consists of 768 amino acids and has a calculated molecular mass of 87.8 kDa. It migrates as an approximately 95 kDa band in SDS-PAGE under reducing conditions.

Formulation:

Lyophilized from sterile 20mM Tris, 500mM NaCl, pH 8.0, 10% gly

Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Specific concentrations are included in the hardcopy of COA. Please contact us for any concerns or special requirements.

Usage Guide


Storage:

Avoid repeated freeze-thaw cycles.

Reconstitution:

Detailed reconstitution instructions are sent along with the products.

SDS-PAGE:



References

1.Loseva O, et al. (2010) PARP-3 is a mono-ADP-ribosylase that activates PARP-1 in the absence of DNA. J Biol Chem. 285(11): 8054-60. 2.Lehtio L, et al. (2009) Structural basis for inhibitor specificity in human poly(ADP-ribose) polymerase-3. J Med Chem. 52(9): 3108-11. 3.Rouleau M, et al. (2009) Assessment of PARP-3 distribution in tissues of cynomolgous monkeys. J Histochem Cytochem. 57(7): 675-85.

Manufactured By Sino Biological Inc., FOR RESEARCH USE ONLY. NOT FOR USE IN HUMANS.

For US Customer: Fax: 267-657-0217 • Tel: 215-583-7898