## CMBL Antibody, Rabbit PAb, Antigen Affinity Purified






GENERAL INFORMATION	
Immunogen:	Recombinant Human CMBL Protein (Catalog#11404-H07E)
Preparation	Produced in rabbits immunized with purified, recombinant Human CMBL (rh CMBL; Catalog#11404-H07E; Q96DG6; Met1-Met245). CMBL specific IgG was purified by Human CMBL affinity chromatography.
lg Type:	Rabbit IgG
Specificity:	Human CMBL
Formulation:	0.2 µm filtered solution in PBS
Storage:	This antibody can be stored at $2^{\circ}\text{C-8}^{\circ}\text{C}$ for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at $-20^{\circ}\text{C}$ to $-80^{\circ}\text{C}$ . Preservative-Free. Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles.
APPLICATIONS	
Applications:	WB,ELISA,IP
RECOMMENDED CONCENTRATION	
Western Blot	WB: 1:500-1:2000
Immunoprecipitation	IP: 1-4 μL/mg of lysate
ELISA	ELISA: 1:5000-1:10000 This antibody can be used at 1:5000-1:10000 with the appropriate secondary reagents to detect Human CMBL.

Please Note: Optimal concentrations/dilutions should be determined by the end user.

## CMBL Antibody, Rabbit PAb, Antigen Affinity Purified

Catalog Number: 11404-T52






Anti-CMBL rabbit polyclonal antibody at 1:500 dilution

Lane A: HeLa Whole Cell Lysate

Lysates/proteins at 30 µg per lane. Secondary Goat Anti- Rabbit IgG H&L (Dylight 800) at 1/10000 dilution.

Developed using the Odyssey technique. Performed under reducing conditions.

Predicted band size:28 kDa Observed band size:28 kDa



CMBL was immunoprecipitated using: Lane A:0.5 mg Hela Whole Cell Lysate Lane B:0.5 mg Jurkat Whole Cell Lysate Lane C:0.5 mg HepG2 Whole Cell Lysate

4  $\mu L$  anti-CMBL rabbit polyclonal antibody and 15  $\mu l$  of 50 % Protein G agarose.

Primary antibody:

Anti-CMBL rabbit polyclonal antibody,at 1:100 dilution

Secondary antibody:

Dylight 800-labeled antibody to rabbit IgG (H+L), at 1:5000 dilution

Developed using the odssey technique. Performed under reducing conditions.

Predicted band size: 28 kDa Observed band size: 28 kDa