# Human LAG3 / CD223 / Lymphocyte activation gene 3 Protein, Biotinylated

Catalog Number: 16498-HNAH-B



### **General Information**

#### Gene Name Synonym:

CD223; LAG-3

#### **Protein Construction:**

A DNA sequence encoding the LAG3 (P18627) (Met1-Arg440) was expressed. The expressed protein was biotinylated in vitro.

Source: Human

Expression Host: HEK293 Cells

**QC** Testing

**Purity:** > 90 % as determined by SDS-PAGE.

**Endotoxin:** 

< 1.0 EU per  $\mu g$  protein as determined by the LAL method.

Stability:

Samples are stable for up to twelve months from date of receipt at -70  $^{\circ}$ C

Predicted N terminal: Val 29

**Molecular Mass:** 

The recombinant LAG3 consists of 412 amino acids and predicts a molecular mass of 44.7 kDa.

#### Formulation:

Lyophilized from sterile Sterile PBS.

Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Specific concentrations are included in the hardcopy of COA. Please contact us for any concerns or special requirements.

## **Usage Guide**

#### Storage:


Store it under sterile conditions at  $-20\,^{\circ}\mathrm{C}$  to  $-80\,^{\circ}\mathrm{C}$  upon receiving. Recommend to aliquot the protein into smaller quantities for optimal storage.

Avoid repeated freeze-thaw cycles.

#### Reconstitution:

Detailed reconstitution instructions are sent along with the products.

#### SDS-PAGE:



# **Protein Description**

LAG3, also known as CD223 and Lymphocyte activation gene 3, belongs to immunoglobulin (Ig) superfamily. LAG3 contains 4 extracellular Ig-like domains. The LAG3 gene contains 8 exons. It is selectively expressed in activated T and NK cells. LAG3 has a negative regulatory function in T cells. It also acts as as a new marker of T cell induced B cell activation. As a soluble molecule, LAG3 activates antigen-presenting cells through MHC class II signalling, leading to increased antigen-specific T-cell responses in vivo

#### References

1.Sigrid Hannier. et al., 1998, The Journal of Immunology. 161(8): 4058-65. 2.Triebel F. et al., 1990, J Exp Med. 171 (5): 1393-405. 3.Baixeras E. et al., 1992, J Exp Med. 176 (2): 327-37.

Manufactured By Sino Biological Inc., FOR RESEARCH USE ONLY. NOT FOR USE IN HUMANS.

For US Customer: Fax: 267-657-0217 • Tel: 215-583-7898