OS9/osteosarcoma amplified 9 Antibody, Rabbit PAb, Antigen Affinity Purified

Catalog Number: 200870-T10




GENERAL INFORMATION	
Immunogen:	E. coli-derived Human OS9/osteosarcoma amplified 9 fragment
Preparation	Produced in rabbits immunized with E. coli-derived Human OS9/osteosarcoma amplified 9 fragment, and purified by antigen affinity chromatography.
Ig Type:	Rabbit IgG
Specificity:	Human OS9/osteosarcoma amplified 9
Formulation:	PBS, pH7.0 with 0.03% Proclin300
Storage:	This antibody can be stored at $2^{\circ}C-8^{\circ}C$ for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at $-20^{\circ}C$ to $-80^{\circ}C$. Preservative-Free. Avoid repeated freeze-thaw cycles.
Alternative Names:	ERLEC2,OS-9
APPLICATIONS	
Applications:	IHC-P,ICC/IF
RECOMMENDED CONCENTRATION	
IHC-P	IHC-P: 1:50-1:200
ICC/IF	ICC/IF: 1:100-1:500

Please Note: Optimal concentrations/dilutions should be determined by the end user.


OS9/osteosarcoma amplified 9 Antibody, Rabbit PAb, Antigen Affinity Purified

Catalog Number: 200870-T10






Immunochemical staining of human OS9 in human placenta with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.



Immunochemical staining of human OS9 in human pancreas with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.



Immunofluorescence staining of OS9 in HeLa cells. Cells were fixed with 4% PFA, permeabilzed with 0.1% Triton X-100 in PBS,blocked with 10% serum, and incubated with rabbit anti-Human OS9 polyclonal antibody (dilution ratio 1:200) at 4°C overnight. Then cells were stained with the Alexa Fluor®488-conjugated Goat Anti-rabbit IgG secondary antibody (green) and counterstained with DAPI (blue).Positive staining was localized to Cytoplasm.