
Occludin Antibody, Rabbit PAb, Antigen Affinity Purified







GENERAL INFORMATION	
Immunogen:	E. coli-derived Human Occludin fragment
Preparation	Produced in rabbits immunized with E. coli-derived Human Occludin fragment, and purified by antigen affinity chromatography.
Ig Type:	Rabbit IgG
Specificity:	Human Occludin
Formulation:	PBS, pH7.0 with 0.03% Proclin300
Storage:	This antibody can be stored at $2^{\circ}\text{C-8}^{\circ}\text{C}$ for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C . Avoid repeated freeze-thaw cycles.
Alternative Names:	OCLN
APPLICATIONS	
Applications:	WB
RECOMMENDED CONCENTRATION	
Western Blot	WB: 1:500-1:2000

Please Note: Optimal concentrations/dilutions should be determined by the end user.

Occludin Antibody, Rabbit PAb, Antigen Affinity Purified







Anti-OCLN rabbit polyclonal antibody at 1:500 dilution

Lane A: HepG2 Whole Cell Lysate Lane B: COLO205 Whole Cell Lysate Lane C: U-251 MG Whole Cell Lysate

Lysates/proteins at 30 µg per lane. Secondary Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution.

Developed using the ECL technique. Performed under reducing conditions.

Predicted band size:59 kDa Observed band size:59 kDa (We are unsure as to the identity of these extra bands.)