
CD6 / Cluster of Differentiation 6 Antibody, Mouse MAb






| GENERAL INFORMATION | |
|---------------------------|---|
| Immunogen: | Recombinant Rat CD6 / Cluster of Differentiation 6 Protein (Catalog#80311-R08H) |
| Preparation | This antibody was produced from a hybridoma resulting from the fusion of a mouse myeloma with B cells obtained from a mouse immunized with purified, recombinant Rat CD6 / Cluster of Differentiation 6 (rR CD6 / Cluster of Differentiation 6; Catalog#80311-R08H; Q812A4; Met1-Asn396). The IgG fraction of the cell culture supernatant was purified by Protein A affinity chromatography. |
| lg Type: | Mouse IgG2a |
| Clone ID: | 01 |
| Specificity: | Rat CD6 / Cluster of Differentiation 6 |
| Formulation: | 0.2 µm filtered solution in PBS |
| Storage: | This antibody can be stored at $2^{\circ}\text{C-8}^{\circ}\text{C}$ for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C . Preservative-Free. Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles. |
| APPLICATIONS | |
| Applications: | FCM |
| RECOMMENDED CONCENTRATION | |
| Flow Cytometry | FCM: 1:25-1:100 |

Please Note: Optimal concentrations/dilutions should be determined by the end user.

CD6 / Cluster of Differentiation 6 Antibody, Mouse MAb

Catalog Number: 80311-MM01





Flow cytometric analysis of Rat CD6 expression on SD rat splenocytes. Cells were stained with purified anti-Rat CD6, then a FITC-conjugated second step antibody. The fluorescence histograms were derived from gated events with the forward and side light-scatter characteristics of intact cells.

Flow cytometry was performed on a BD FACSCalibur flow cytometry system. Please refer to www.sinobiological.com/Flow-Cytometry-FACS-Protocols-a-750.html for technical protocols.