# Rat CD112 / Nectin-2 / PVRL2 Protein (His Tag)

Catalog Number: 80327-R08H



# **General Information**

#### Gene Name Synonym:

NECTIN2

## **Protein Construction:**

A DNA sequence encoding the rat PVRL2 (Q9ESS6) (Met1-Gly351) was expressed, fused with a polyhistidine tag at the C-terminus.

Source: Ra

Expression Host: HEK293 Cells

**QC** Testing

**Purity:** > 95 % as determined by SDS-PAGE

Endotoxin:

< 1.0 EU per µg of the protein as determined by the LAL method

Stability:

Samples are stable for up to twelve months from date of receipt at -70 °C

Predicted N terminal: Gln 32

## **Molecular Mass:**

The recombinant rat PVRL2 comprises 331 amino acids and predicts a molecular mass of 36 kDa. The apparent molecular mass of the recombinant protein is approximately 46 kDa in SDS-PAGE under reducing conditions due to glycosylation.

#### Formulation:

Lyophilized from sterile PBS, 0.05% Chaps, 5% Trehalose, 10% glycerol, pH 7.4.

Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Specific concentrations are included in the hardcopy of COA. Please contact us for any concerns or special requirements.

# **Usage Guide**

## Storage:


Store it under sterile conditions at -20°C to -80°C upon receiving. Recommend to aliquot the protein into smaller quantities for optimal storage.

Avoid repeated freeze-thaw cycles.

## Reconstitution:

Detailed reconstitution instructions are sent along with the products.

## SDS-PAGE:



# **Protein Description**

Cluster of Differentiation 112 (CD112), also known as poliovirus receptor related protein 2 (PVRL2 or PRR2), is a single-pass type I transmembrane glycoprotein belonging to the Immunoglobulin superfamily. CD112 protein also serves as an entry for certain mutant strains of herpes simplex virus and pseudorabies virus, and thus is involved in cell to cell spreading of these viruses. CD112 protein has been identified as the ligand for DNAM-1 (CD226), and the interaction of CD226/CD112 protein can induce NK celland CD8+ T cell-mediated cytotoxicity and cytokine secretion. CD112 has been regarded as a critical component in allergic reactions, and accordingly may function as a novel target for anti-allergic therapy.

Manufactured By Sino Biological Inc., FOR RESEARCH USE ONLY. NOT FOR USE IN HUMANS.

For US Customer: Fax: 267-657-0217 • Tel: 215-583-7898

Global Customer: Fax :+86-10-5862-8288 
■ Tel:+86-400-890-9989 
■ <a href="http://www.sinobiological.com">http://www.sinobiological.com</a>