Human ErbB2 / HER2 transcript variant 1 Gene cDNA clone plasmid

Catalog Number: HG10004-M



General Information

Gene: v-erb-b2 erythroblastic leukemia viral

> oncogene homolog 2, neuro/glioblastoma derived oncogene homolog (avian),

transcript variant 1

Official Symbol: ERBB2

Synonym: ErbB2, NEU, NGL, HER2, TKR1, CD340,

HER-2, c-erbB2, HER-2/neu, p185erbB2

Source: Human

cDNA Size: 3768bp

RefSeq: NM_004448.2

Plasmid: pMD-ERBB2

Description

Please refer to the label on the tube

Sequence Description:

Identical with the Gene Bank Ref. ID sequence except for three point mutations: 1960 A/G resulting in the amino acid 654lle substitution by Val, 1963 A/G resulting in the amino acid 655lle substitution by Val and 3508 C/G resulting in the amino acid 1170Pro substitution by Ala.

Vector:

pMD18-T Simple

Shipping carrier:

Each tube contains approximately 10 µg of lyophilized plasmid.

Storage:

The lyophilized plasmid can be stored at ambient temperature for three months.

Quality control:

The plasmid is confirmed by full-length sequencing with primers in the sequencing primer list.

Sequencing primer list:

M13-47: 5' GCCAGGGTTTTCCCAGTCACGAC 3'

RV-M: 5' GAGCGGATAACAATTTCACACAGG 3'

Other M13 primers can also be used as sequencing primers.

Plasmid Resuspension protocol

- 1. Centrifuge at $5,000 \times g$ for 5 min.
- 2.Carefully open the tube and add 100 µl of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than $5000 \times g$.
- 5.Store the plasmid at -20 °C.

The plasmid is ready for:

- · Restriction enzyme digestion
- PCR amplification
- · E. coli transformation
- DNA sequencing

E.coli strains for transformation (recommended but not limited)

Most commercially available competent cells are appropriate for the plasmid, e.g. TOP10, DH5α and TOP10F'.

Human ErbB2 / HER2 transcript variant 1 Gene cDNA clone plasmid

Catalog Number: HG10004-M



Vector Information

pMD18-T Simple Vector is a high-efficiency TA cloning vector constructed from pUC18, of which the initial multiple cloning sites (MCS) were destroyed. The pMD18-T Simple Vector is 2.6kb in size and contains the amplicin resistance gene for selection. The coding sequence was inserted by TA cloning at site 425.

Physical Map of pMD18-T Simple (MCS destroyed):

