Human Caspase-10 transcript variant A Gene cDNA clone plasmid

Catalog Number: HG10072-M



General Information

Gene: caspase 10, apoptosis-related cysteine

peptidase, transcript variant A

Official Symbol: CASP10

CASP10, MCH4, ALPS2, FLICE2 Synonym:

Source: Human

cDNA Size: 1440bp

RefSeq: NM_001230.4

Plasmid: pMD-Caspase10

Description

Lot: Please refer to the label on the tube

Sequence Description:

Same as Gene Bank Ref. ID sequence with the point mutation 177 A/G not causing the amino acid variation, and the point mutation 1433-1440 CATTATAG/AATCTCCA.

Vector:

pMD18-T Simple

Shipping carrier:

Each tube contains approximately 10 µg of lyophilized plasmid.

Storage:

The lyophilized plasmid can be stored at ambient temperature for three months.

Quality control:

The plasmid is confirmed by full-length sequencing with primers in the sequencing primer list.

Sequencing primer list:

M13-47: 5' GCCAGGGTTTTCCCAGTCACGAC 3'

RV-M: 5' GAGCGGATAACAATTTCACACAGG 3'

Other M13 primers can also be used as sequencing primers.

Plasmid Resuspension protocol

- 1. Centrifuge at $5,000 \times g$ for 5 min.
- 2.Carefully open the tube and add 100 µl of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than $5000 \times g$.
- 5.Store the plasmid at -20 °C.

The plasmid is ready for:

- · Restriction enzyme digestion
- PCR amplification
- · E. coli transformation
- DNA sequencing

E.coli strains for transformation (recommended but not limited)

Most commercially available competent cells are appropriate for the plasmid, e.g. TOP10, DH5α and TOP10F'.

Human Caspase-10 transcript variant A Gene cDNA clone plasmid

Catalog Number: HG10072-M



Vector Information

pMD18-T Simple Vector is a high-efficiency TA cloning vector constructed from pUC18, of which the initial multiple cloning sites (MCS) were destroyed. The pMD18-T Simple Vector is 2.6kb in size and contains the amplicin resistance gene for selection. The coding sequence was inserted by TA cloning at site 425.

Physical Map of pMD18-T Simple (MCS destroyed):

