## Human ALK-2 / ACVR1 transcript variant 2 Gene cDNA clone plasmid

Catalog Number: HG10227-M



#### **General Information**

Gene: activin A receptor, type I (ACVR1),

transcript variant 2

Official Symbol: ACVR1

ACVR1, FOPA, ALK2, SKR1, TSRI, Synonym:

ACTRI, ACVR1A, ACVRLK2

Source: Human

cDNA Size: 1530bp

NM\_001111067.2 RefSeq:

Plasmid: pMD-ALK2

### **Description**

Lot: Please refer to the label on the tube

#### **Sequence Description:**

Identical with the Gene Bank Ref. ID sequence except for two point mutations: 270 C/T and 690 G/A, neither of which results in the amino acid substitution.

**Vector:** 

pMD18-T Simple

#### Shipping carrier:

Each tube contains approximately 10 µg of lyophilized plasmid.

#### Storage:

The lyophilized plasmid can be stored at ambient temperature for three months.

#### **Quality control:**

The plasmid is confirmed by full-length sequencing with primers in the sequencing primer list.

#### Sequencing primer list:

5' GCCAGGGTTTTCCCAGTCACGAC 3' M13-47:

RV-M: 5' GAGCGGATAACAATTTCACACAGG 3'

Other M13 primers can also be used as sequencing primers.

## **Plasmid Resuspension protocol**

- 1. Centrifuge at  $5,000 \times g$  for 5 min.
- 2.Carefully open the tube and add 100 µl of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than  $5000 \times g$ .
- 5.Store the plasmid at -20 °C.

#### The plasmid is ready for:

- · Restriction enzyme digestion
- PCR amplification
- · E. coli transformation
- DNA sequencing

## E.coli strains for transformation (recommended but not limited)

Most commercially available competent cells are appropriate for the plasmid, e.g. TOP10, DH5α and TOP10F'.

# Human ALK-2 / ACVR1 transcript variant 2 Gene cDNA clone plasmid

Catalog Number: HG10227-M



#### **Vector Information**

pMD18-T Simple Vector is a high-efficiency TA cloning vector constructed from pUC18, of which the initial multiple cloning sites (MCS) were destroyed. The pMD18-T Simple Vector is 2.6kb in size and contains the amplicin resistance gene for selection. The coding sequence was inserted by TA cloning at site 425.

#### Physical Map of pMD18-T Simple (MCS destroyed):

