## **Human PRKACA Gene cDNA clone plasmid**

Catalog Number: HG11544-M



#### **General Information**

Gene: protein kinase, cAMP-dependent,

catalytic, alpha

Official Symbol: PRKACA

**Synonym:** PKACA; PPNAD4

Source: Human

cDNA Size: 1056bp

**RefSeq:** NM\_002730.3

Plasmid: pMD-PRKACA

## **Description**

Lot: Please refer to the label on the tube

#### **Sequence Description:**

Identical with the Gene Bank Ref.ID sequence except for the point mutations: 617T/C(L206P)

Vector:

pMD18-T

#### Shipping carrier:

Each tube contains approximately 10 µg of lyophilized plasmid.

### Storage:

The lyophilized plasmid can be stored at ambient temperature for three months.

#### **Quality control:**

The plasmid is confirmed by full-length sequencing with primers in the sequencing primer list.

### Sequencing primer list:

M13-47: 5' GCCAGGGTTTTCCCAGTCACGAC 3'

RV-M: 5' GAGCGGATAACAATTTCACACAGG 3'

Other M13 primers can also be used as sequencing primers.

## **Plasmid Resuspension protocol**

1.

Centrifuge at  $5,000 \times g$  for 5 min.

2.

Carefully open the tube and add 100  $\mu l$  of sterile water to dissolve the DNA.

3.

Close the tube and incubate for 10 minutes at room temperature.

4.

Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than  $5000 \times g$ .

5.

Store the plasmid at -20 °C.

6.

#### The plasmid is ready for:

- · Restriction enzyme digestion
- PCR amplification
- · E. coli transformation
- DNA sequencing

# *E.coli* strains for transformation (recommended but not limited)

Most commercially available competent cells are appropriate for the plasmid, e.g. TOP10, DH5 $\alpha$  and TOP10F $^{\prime}$ .

Website: http://www.sinobiological.com

# **Human PRKACA Gene cDNA clone plasmid**

Catalog Number: HG11544-M



#### **Vector Information**

pMD18-T Vector is a high-efficiency TA cloning vector constructed from pUC18, of which multiple cloning sites as shown below. The pMD18-T Vector is 2.6kb in size and contains the ampicillin resistance gene for selection. The coding sequence was inserted by TA cloning at site 425.

Notes: The direction of cDNA insertion into the TA-cloning vector is random, maybe forward or reverse. For insert orientation information, please feel free to contact us.

#### Physical Map of pMD18 (MCS destroyed):



