SARS-CoV-2 (2019-nCoV) Spike RBD Gene ORF cDNA clone expression plasmid, C-OFPSpark tag (Codon Optimized)



Catalog Number: VG40592-ACR

General Information

Official Symbol: Spike

Synonym: coronavirus spike; cov spike; ncov RBD;

ncov s1; ncov s2; ncov spike; NCP-CoV RBD; NCP-CoV s1; NCP-CoV s2; NCP-CoV Spike; novel coronavirus RBD; novel coronavirus s1; novel coronavirus s2; novel coronavirus spike; RBD; S1; S2;

Spike RBD

Source: 2019-nCoV

cDNA Size: 1362bp(cDNA Size= Gene + linker

+Tags)

Plasmid pCMV3-2019-nCOV-RBD-OFPSpark

Description

Lot: Please refer to the label on the tube

Sequence Description:

A number of silent mutations were introduced into the DNA sequence in order to increase its protein expression level in mammalian cell system. The translated amino acid sequence is identical with QHD43416.1(319-541aa)

Restriction site: Kpnl + Xbal(6kb+1.36kb)

Vector: pCMV3-C-OFPSpark

Quality control:

The plasmid is confirmed by full-length sequencing with primers in the sequencing primer list.

Sequencing primer list:

pCMV3-F: 5' CAGGTGTCCACTCCCAGGTCCAAG 3'

pcDNA3-R: 5' GGCAACTAGAAGGCACAGTCGAGG 3'

Or

Forward T7: 5' TAATACGACTCACTATAGGG 3'
ReverseBGH: 5' TAGAAGGCACAGTCGAGG 3'

pCMV3-F and pcDNA3-R are designed by Sino Biological Inc. Customers can order the primer pair from any oligonucleotide supplier.

Shipping carrier:

Each tube contains approximately 10 μg of lyophilized plasmid.

Storage:

The lyophilized plasmid can be stored at ambient temperature for three months.

Plasmid Resuspension protocol

- 1. Centrifuge at 5,000×g for 5 min.
- 2. Carefully open the tube and add 100 μ l of sterile water to dissolve the DNA.
- Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than $5000 \times q$.
- 5. Store the plasmid at $-20 \,^{\circ}$ C.

The plasmid is ready for:

- · Restriction enzyme digestion
- PCR amplification
- · E. coli transformation
- DNA sequencing

E.coli strains for transformation (recommended but not limited)

Most commercially available competent cells are appropriate for the plasmid, e.g. TOP10, DH5α and TOP10F΄.

Website: http://www.sinobiological.com

SARS-CoV-2 (2019-nCoV) Spike RBD Gene ORF cDNA clone expression plasmid, C-OFPSpark tag (Codon Optimized)



Catalog Number: VG40592-ACR

Vector Information

All of the pCMV vectors are designed for high-level stable and transient expression in mammalian hosts. High-level stable and non-replicative transient expression can be carried out in most mammalian cells. The vectors contain the following elements:

- •Human enhanced cytomegalovirus immediate-early (CMV) promoter for high-level expression in a wide range of mammalian cells.
- Hygromycin resistance gene for selection of mammalian cell lines.
- A Kozak consensus sequence to enhance mammalian expression.

Vector name pCMV3-C-OFPSpark

Vector size 6806bp

Vector Type Mammalian Expression Vector

Expression Method Constitutive ,Stable / Transient

Promoter CMV

Bacterial Resistance Kanamycin
Selection In Cells Hygromycin

Protein tag OFPSpark

Physical Map of Plasmid:

