Rhesus IFNA14 / Interferon alpha-14 Protein (His Tag)

Catalog Number: 90107-C08Y



General Information

Gene Name Synonym:

IFNA14

Protein Construction:

A DNA sequence encoding the rhesus IFNA14 (XP_001107576.1) (Cys24-Asp189) was expressed with a polyhistidine tag at the C-terminus.

Source: Rhesus

QC Testing

Expression Host:

Purity: > 90 % as determined by SDS-PAGE

Yeast

Bio Activity:

Measured in antiviral assay using WISH cells infected with vesicular stomatitis virus. The ED $_{50}$ for this effect is 40-200pg/mL.

Endotoxin:

Please contact us for more information.

Stability:

Samples are stable for up to twelve months from date of receipt at -70 °C

Predicted N terminal: Cys 24

Molecular Mass:

The recombinant rhesus IFNA14 comprises 176 amino acids and has a calculated molecular mass of 21 KDa.

Formulation:

Supplied as sterile PBS, 50 % Glycerol.

Specific concentrations are included in the hardcopy of COA. Please contact us for any concerns or special requirements.

Usage Guide

Storage:


Store it under sterile conditions at -20°C to -80°C upon receiving. Recommend to aliquot the protein into smaller quantities for optimal storage.

Avoid repeated freeze-thaw cycles.

Reconstitution:

Detailed reconstitution instructions are sent along with the products.

SDS-PAGE:



References

1.Lau JY, et al. (1993) Discrepancy between biochemical and virological responses to interferon-alpha in chronic hepatitis C. Lancet. 342(8881): 1208-9. 2.Kessler DS, et al. (1990) Interferon-alpha regulates nuclear translocation and DNA-binding affinity of ISGF3, a multimeric transcriptional activator. Genes Dev. 4(10): 1753-65. 3.Gutterman JU. Cytokine therapeutics: lessons from interferon alpha. Proc Natl Acad Sci U S A. 91(4): 1198-205.

Manufactured By Sino Biological Inc., FOR RESEARCH USE ONLY. NOT FOR USE IN HUMANS.

For US Customer: Fax: 267-657-0217 • Tel: 215-583-7898

Global Customer: Fax :+86-10-5862-8288 • Tel:+86-400-890-9989 • http://www.sinobiological.com