

## Anti-CRLF1 antibody

---



<b>Description</b>	Unconjugated Rabbit polyclonal to CRLF1
<b>Model</b>	STJ190291
<b>Host</b>	Rabbit
<b>Reactivity</b>	Human, Mouse
<b>Applications</b>	ELISA, WB
<b>Immunogen</b>	Synthesized peptide derived from human CRLF1 protein.
<b>Immunogen Region</b>	50-130aa
<b>Gene ID</b>	<a href="#">9244</a>
<b>Gene Symbol</b>	<a href="#">CRLF1</a>
<b>Dilution range</b>	WB 1:500-2000 ELISA 1:5000-20000
<b>Specificity</b>	CRLF1 Polyclonal Antibody detects endogenous levels of protein.
<b>Tissue Specificity</b>	Highest levels of expression observed in spleen, thymus, lymph node, appendix, bone marrow, stomach, placenta, heart, thyroid and ovary. Strongly expressed also in fetal lung.
<b>Purification</b>	CRLF1 antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Note</b>	For Research Use Only (RUO).
<b>Protein Name</b>	Cytokine receptor-like factor 1 Cytokine-like factor 1 CLF-1 ZcytoR5
<b>Molecular Weight</b>	46 kDa
<b>Clonality</b>	Polyclonal

<b>Conjugation</b>	Unconjugated
<b>Isotype</b>	IgG
<b>Formulation</b>	Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide.
<b>Concentration</b>	1 mg/ml
<b>Storage Instruction</b>	Store at -20°C, and avoid repeat freeze-thaw cycles.
<b>Database Links</b>	<a href="#">HGNC:2364OMIM:272430</a>
<b>Alternative Names</b>	Cytokine receptor-like factor 1 Cytokine-like factor 1 CLF-1 ZcytoR5
<b>Function</b>	Cytokine receptor subunit, possibly playing a regulatory role in the immune system and during fetal development. May be involved in nervous system development.
<b>Sequence and Domain Family</b>	The WSXWS motif appears to be necessary for proper protein folding and thereby efficient intracellular transport and cell-surface receptor binding.
<b>Cellular Localization</b>	Secreted

---

**St John's Laboratory Ltd**

**F** +44 (0)207 681 2580

**T** +44 (0)208 223 3081

**W** <http://www.stjohnslabs.com/>

**E** [info@stjohnslabs.com](mailto:info@stjohnslabs.com)