

Anti-EDAR antibody



Description	Unconjugated Rabbit polyclonal to EDAR
Model	STJ190407
Host	Rabbit
Reactivity	Human, Mouse
Applications	ELISA, WB
Immunogen	Synthesized peptide derived from human EDAR protein.
Immunogen Region	50-130aa
Gene ID	10913
Gene Symbol	EDAR
Dilution range	WB 1:500-2000 ELISA 1:5000-20000
Specificity	EDAR Polyclonal Antibody detects endogenous levels of protein.
Tissue Specificity	Detected in fetal kidney, lung, skin and cultured neonatal epidermal keratinocytes. Not detected in lymphoblast and fibroblast cell lines.
Purification	EDAR antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Note	For Research Use Only (RUO).
Protein Name	Tumor necrosis factor receptor superfamily member EDAR Anhidrotic ectodysplasin receptor 1 Downless homolog EDA-A1 receptor
Molecular Weight	49 kDa
Clonality	Polyclonal

Conjugation	Unconjugated
Isotype	IgG
Formulation	Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide.
Concentration	1 mg/ml
Storage Instruction	Store at -20°C, and avoid repeat freeze-thaw cycles.
Database Links	HGNC:28950MIM:129490
Alternative Names	Tumor necrosis factor receptor superfamily member EDAR Anhidrotic ectodysplasin receptor 1 Downless homolog EDA-A1 receptor
Function	Receptor for EDA isoform A1, but not for EDA isoform A2. Mediates the activation of NF-kappa-B and JNK. May promote caspase-independent cell death.
Cellular Localization	Membrane

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W <http://www.stjohnslabs.com/>

E info@stjohnslabs.com