

Anti-RFC5 antibody



Description	Unconjugated Rabbit polyclonal to RFC5
Model	STJ190417
Host	Rabbit
Reactivity	Human, Mouse
Applications	ELISA, WB
Immunogen	Synthesized peptide derived from human RFC5 protein.
Immunogen Region	110-190aa
Gene ID	5985
Gene Symbol	RFC5
Dilution range	WB 1:500-2000 ELISA 1:5000-20000
Specificity	RFC5 Polyclonal Antibody detects endogenous levels of protein.
Purification	RFC5 antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Note	For Research Use Only (RUO).
Protein Name	Replication factor C subunit 5 Activator 1 36 kDa subunit A1 36 kDa subunit Activator 1 subunit 5 Replication factor C 36 kDa subunit RF-C 36 kDa subunit RFC36
Molecular Weight	37 kDa
Clonality	Polyclonal
Conjugation	Unconjugated

Isotype	IgG
Formulation	Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide.
Concentration	1 mg/ml
Storage Instruction	Store at -20°C, and avoid repeat freeze-thaw cycles.
Database Links	HGNC:9973OMIM:600407
Alternative Names	Replication factor C subunit 5 Activator 1 36 kDa subunit A1 36 kDa subunit Activator 1 subunit 5 Replication factor C 36 kDa subunit RF-C 36 kDa subunit RFC36
Function	The elongation of primed DNA templates by DNA polymerase delta and epsilon requires the action of the accessory proteins proliferating cell nuclear antigen (PCNA) and activator 1.
Cellular Localization	Nucleus

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W <http://www.stjohnslabs.com/>

E info@stjohnslabs.com