

Anti-CHD2 antibody



Description Unconjugated Rabbit polyclonal to CHD2

Model STJ190695

Host Rabbit

Reactivity Human

Applications ELISA, WB

Gene ID <u>1106</u>

Gene Symbol CHD2

Dilution range WB 1:500-2000 ELISA 1:5000-20000

Specificity CHD2 Polyclonal Antibody detects endogenous levels of protein.

Purification CHD2 antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name Chromodomain-helicase-DNA-binding protein 2 CHD-2 ATP-dependent

helicase CHD2

Molecular Weight 201 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links HGNC:1917OMIM:602119

Alternative Names Chromodomain-helicase-DNA-binding protein 2 CHD-2 ATP-dependent

helicase CHD2

Function DNA-binding helicase that specifically binds to the promoter of target genes,

leading to chromatin remodeling, possibly by promoting deposition of histone

H3.3. Involved in myogenesis via interaction with MYOD1: binds to myogenic gene regulatory sequences and mediates incorporation of histone H3.3 prior to the onset of myogenic gene expression, promoting their

expression.

Cellular Localization Nucleus. Binds to myogenic gene promoters.

St John's Laboratory Ltd

F +44 (0)207 681 2580

T+44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com