

## Anti-MYH3 antibody



**Description** Unconjugated Rabbit polyclonal to MYH3

Model STJ191003

**Host** Rabbit

**Reactivity** Human, Mouse, Rat

**Applications** ELISA, WB

**Immunogen** Synthesized peptide derived from human MYH3 protein.

**Immunogen Region** 1770-1850aa

**Gene ID** 4621

Gene Symbol MYH3

**Dilution range** WB 1:500-2000 ELISA 1:5000-20000

**Specificity** MYH3 Polyclonal Antibody detects endogenous levels of protein.

**Tissue Specificity** Expressed in fetal bone, thymus, placenta, heart, brain, and liver.

**Purification** MYH3 antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

**Note** For Research Use Only (RUO).

**Protein Name** Myosin-3 Muscle embryonic myosin heavy chain Myosin heavy chain 3

Myosin heavy chain, fast skeletal muscle, embryonic SMHCE

Molecular Weight 213 kDa

**Clonality** Polyclonal

**Conjugation** Unconjugated

**Isotype** IgG

**Formulation** Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide.

**Concentration** 1 mg/ml

**Storage Instruction** Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:7573OMIM:160720</u>

Alternative Names Myosin-3 Muscle embryonic myosin heavy chain Myosin heavy chain 3

Myosin heavy chain, fast skeletal muscle, embryonic SMHCE

**Function** Muscle contraction.

**Sequence and Domain Family** The rodlike tail sequence is highly repetitive, showing cycles of a 28-residue

repeat pattern composed of 4 heptapeptides, characteristic for alpha-helical coiled coils.; Limited proteolysis of myosin heavy chain produces 1 light meromyosin (LMM) and 1 heavy meromyosin (HMM). HMM can be further cleaved into 2 globular subfragments (S1) and 1 rod-shaped subfragment (S2).

**Cellular Localization** Cytoplasm, myofibril. Thick filaments of the myofibrils.

St John's Laboratory Ltd

**F** +44 (0)207 681 2580 **T** +44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com