

## Anti-NBPF6 antibody



|                    |   |
|--------------------|---|
| <b>Description</b> | Unconjugated Rabbit polyclonal to NBPF6 |
|--------------------|---|

|                         |   |
|-------------------------|---|
| <b>Model</b>            | STJ191060   |
| <b>Host</b>             | Rabbit  |
| <b>Reactivity</b>       | Human   |
| <b>Applications</b>     | ELISA, WB   |
| <b>Immunogen</b>        | Synthesized peptide derived from human NBPF6 protein.   |
| <b>Immunogen Region</b> | 360-440aa   |
| <b>Gene ID</b>          | <a href="#">653149</a>  |
| <b>Gene Symbol</b>      | <a href="#">NBPF6</a>   |
| <b>Dilution range</b>   | WB 1:500-2000 ELISA 1:5000-20000  |
| <b>Specificity</b>      | NBPF6 Polyclonal Antibody detects endogenous levels of protein.   |
| <b>Purification</b>     | NBPF6 antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| <b>Note</b>             | For Research Use Only (RUO).  |
| <b>Protein Name</b>     | Neuroblastoma breakpoint family member 6  |
| <b>Molecular Weight</b> | 70 kDa  |
| <b>Clonality</b>        | Polyclonal  |
| <b>Conjugation</b>      | Unconjugated  |
| <b>Isotype</b>          | IgG   |

|                              |  |
|------------------------------|--|
| <b>Formulation</b>           | Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide.  |
| <b>Concentration</b>         | 1 mg/ml  |
| <b>Storage Instruction</b>   | Store at -20°C, and avoid repeat freeze-thaw cycles.                 |
| <b>Database Links</b>        | <a href="#"><u>HGNC:31988</u></a> <a href="#"><u>OMIM:613996</u></a> |
| <b>Alternative Names</b>     | Neuroblastoma breakpoint family member 6                             |
| <b>Cellular Localization</b> | Cytoplasm  |

---

**St John's Laboratory Ltd**

**F** +44 (0)207 681 2580

**T** +44 (0)208 223 3081

**W** <http://www.stjohnslabs.com/>

**E** [info@stjohnslabs.com](mailto:info@stjohnslabs.com)