

## **Anti-PURB** antibody



**Description** Unconjugated Rabbit polyclonal to PURB

Model STJ191543

**Host** Rabbit

**Reactivity** Human, Mouse, Rat

**Applications** ELISA, WB

**Gene ID** <u>5814</u>

Gene Symbol PURB

**Dilution range** WB 1:500-2000 ELISA 1:5000-20000

**Specificity** PURB Polyclonal Antibody detects endogenous levels of protein.

**Tissue Specificity** Expressed in myocardium of heart failure patients.

**Purification** PURB antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

**Note** For Research Use Only (RUO).

Protein Name Transcriptional activator protein Pur-beta Purine-rich element-binding protein

В

Molecular Weight 34 kDa

**Clonality** Polyclonal

**Conjugation** Unconjugated

**Isotype** IgG

**Formulation** Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide.

**Concentration** 1 mg/ml

**Storage Instruction** Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:9702OMIM:608887</u>

Alternative Names Transcriptional activator protein Pur-beta Purine-rich element-binding protein

В

**Function** Has capacity to bind repeated elements in single-stranded DNA such as the

purine-rich single strand of the PUR element located upstream of the MYC gene. Plays a role in the control of vascular smooth muscle (VSM) alpha-actin gene transcription as repressor in myoblasts and fibroblasts. Participates in transcriptional and translational regulation of alpha-MHC expression in cardiac myocytes by binding to the purine-rich negative regulatory (PNR) element. Modulates constitutive liver galectin-3 gene transcription by binding to its promoter. May play a role in the dendritic transport of a subset of

mRNAs.

Cellular Localization Nucleus

St John's Laboratory Ltd

**F** +44 (0)207 681 2580

T+44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com