

## Anti-UB2L6 antibody

---



<b>Description</b>	Unconjugated Rabbit polyclonal to UB2L6
<b>Model</b>	STJ191586
<b>Host</b>	Rabbit
<b>Reactivity</b>	Human, Mouse, Rat
<b>Applications</b>	ELISA, WB
<b>Gene ID</b>	<a href="#">9246</a>
<b>Gene Symbol</b>	<a href="#">UBE2L6</a>
<b>Dilution range</b>	WB 1:500-2000 ELISA 1:5000-20000
<b>Specificity</b>	UB2L6 Polyclonal Antibody detects endogenous levels of protein.
<b>Tissue Specificity</b>	Present in natural killer cells (at protein level).
<b>Purification</b>	UB2L6 antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Note</b>	For Research Use Only (RUO).
<b>Protein Name</b>	Ubiquitin/ISG15-conjugating enzyme E2 L6 E2 ubiquitin-conjugating enzyme L6 Retinoic acid-induced gene B protein RIG-B UbcH8 Ubiquitin carrier protein L6 Ubiquitin-protein ligase L6
<b>Molecular Weight</b>	16 kDa
<b>Clonality</b>	Polyclonal
<b>Conjugation</b>	Unconjugated
<b>Isotype</b>	IgG

<b>Formulation</b>	Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide.
<b>Concentration</b>	1 mg/ml
<b>Storage Instruction</b>	Store at -20°C, and avoid repeat freeze-thaw cycles.
<b>Database Links</b>	<a href="#">HGNC:12490</a> <a href="#">OMIM:603890</a>
<b>Alternative Names</b>	Ubiquitin/ISG15-conjugating enzyme E2 L6 E2 ubiquitin-conjugating enzyme L6 Retinoic acid-induced gene B protein RIG-B UbcH8 Ubiquitin carrier protein L6 Ubiquitin-protein ligase L6
<b>Function</b>	Catalyzes the covalent attachment of ubiquitin or ISG15 to other proteins. Functions in the E6/E6-AP-induced ubiquitination of p53/TP53. Promotes ubiquitination and subsequent proteasomal degradation of FLT3.
<b>Post-translational Modifications</b>	ISGylated.

---

**St John's Laboratory Ltd**

**F** +44 (0)207 681 2580

**T** +44 (0)208 223 3081

**W** <http://www.stjohnslabs.com/>

**E** [info@stjohnslabs.com](mailto:info@stjohnslabs.com)