

Anti-TRIB2 antibody



Description	Unconjugated Rabbit polyclonal to TRIB2
Model	STJ191997
Host	Rabbit
Reactivity	Human, Mouse
Applications	ELISA, WB
Gene ID	28951
Gene Symbol	TRIB2
Dilution range	WB 1:500-2000 ELISA 1:5000-20000
Specificity	TRIB2 Polyclonal Antibody detects endogenous levels of protein.
Tissue Specificity	Highly expressed in peripheral blood leukocytes.
Purification	TRIB2 antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Note	For Research Use Only (RUO).
Protein Name	Tribbles homolog 2 TRB-2
Molecular Weight	37 kDa
Clonality	Polyclonal
Conjugation	Unconjugated
Isotype	IgG
Formulation	Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide.

Concentration	1 mg/ml
Storage Instruction	Store at -20°C, and avoid repeat freeze-thaw cycles.
Database Links	HGNC:30809OMIM:609462
Alternative Names	Tribbles homolog 2 TRB-2
Function	Interacts with MAPK kinases and regulates activation of MAP kinases. Does not display kinase activity .
Sequence and Domain Family	The protein kinase domain is predicted to be catalytically inactive.
Cellular Localization	Cytoplasm Cytoplasm, cytoskeleton. May associate with the cytoskeleton.

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W <http://www.stjohnslabs.com/>

E info@stjohnslabs.com