

Anti-CLC4D antibody



Description	Unconjugated Rabbit polyclonal to CLC4D
Model	STJ192297
Host	Rabbit
Reactivity	Human, Mouse, Rat
Applications	ELISA, WB
Gene ID	338339
Gene Symbol	CLEC4D
Dilution range	WB 1:500-2000 ELISA 1:5000-20000
Specificity	CLC4D Polyclonal Antibody detects endogenous levels of protein.
Tissue Specificity	Expressed weakly in peripheral blood leukocytes, bone marrow and spleen. Expression is confined mostly in monocytes and macrophage and seems to be up-regulated by IL-6, IL-10, TNF-alpha and IFN-gamma.
Purification	CLC4D antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Note	For Research Use Only (RUO).
Protein Name	C-type lectin domain family 4 member D C-type lectin superfamily member 8 C-type lectin-like receptor 6 CLEC-6
Molecular Weight	23 kDa
Clonality	Polyclonal
Conjugation	Unconjugated

Isotype	IgG
Formulation	Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide.
Concentration	1 mg/ml
Storage Instruction	Store at -20°C, and avoid repeat freeze-thaw cycles.
Database Links	HGNC:14554 OMIM:609964
Alternative Names	C-type lectin domain family 4 member D C-type lectin superfamily member 8 C-type lectin-like receptor 6 CLEC-6
Function	Functions as an endocytic receptor. May be involved in antigen uptake at the site of infection, either for clearance of the antigen, or for processing and further presentation to T cells.
Cellular Localization	Membrane

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W <http://www.stjohnslabs.com/>

E info@stjohnslabs.com