

## Anti-CREG2 antibody

---



|                           |                                                                                                                         |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Description</b>        | Unconjugated Rabbit polyclonal to CREG2                                                                                 |
| <b>Model</b>              | STJ192447                                                                                                               |
| <b>Host</b>               | Rabbit                                                                                                                  |
| <b>Reactivity</b>         | Human, Mouse                                                                                                            |
| <b>Applications</b>       | ELISA, WB                                                                                                               |
| <b>Immunogen</b>          | Synthesized peptide derived from human CREG2 protein.                                                                   |
| <b>Immunogen Region</b>   | 30-110aa                                                                                                                |
| <b>Gene ID</b>            | <a href="#">200407</a>                                                                                                  |
| <b>Gene Symbol</b>        | <a href="#">CREG2</a>                                                                                                   |
| <b>Dilution range</b>     | WB 1:500-2000 ELISA 1:5000-20000                                                                                        |
| <b>Specificity</b>        | CREG2 Polyclonal Antibody detects endogenous levels of protein.                                                         |
| <b>Tissue Specificity</b> | Brain specific mainly in the limbic system and faintly in the spinal cord but not in cerebellum.                        |
| <b>Purification</b>       | CREG2 antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| <b>Note</b>               | For Research Use Only (RUO).                                                                                            |
| <b>Protein Name</b>       | Protein CREG2                                                                                                           |
| <b>Molecular Weight</b>   | 31 kDa                                                                                                                  |
| <b>Clonality</b>          | Polyclonal                                                                                                              |

|                                         |                                                                      |
|-----------------------------------------|----------------------------------------------------------------------|
| <b>Conjugation</b>                      | Unconjugated                                                         |
| <b>Isotype</b>                          | IgG                                                                  |
| <b>Formulation</b>                      | Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide.  |
| <b>Concentration</b>                    | 1 mg/ml                                                              |
| <b>Storage Instruction</b>              | Store at -20°C, and avoid repeat freeze-thaw cycles.                 |
| <b>Database Links</b>                   | <a href="#">HGNC:14272</a> OMIM:NA                                   |
| <b>Alternative Names</b>                | Protein CREG2                                                        |
| <b>Cellular Localization</b>            | Secreted                                                             |
| <b>Post-translational Modifications</b> | It is not sure whether N-glycosylation is on Asn-165 and/or Asn-166. |

---

**St John's Laboratory Ltd**

**F** +44 (0)207 681 2580  
**T** +44 (0)208 223 3081

**W** <http://www.stjohnslabs.com/>  
**E** [info@stjohnslabs.com](mailto:info@stjohnslabs.com)