

Anti-B2LA1 antibody



Description	Unconjugated Rabbit polyclonal to B2LA1
Model	STJ192970
Host	Rabbit
Reactivity	Human, Mouse
Applications	ELISA, WB
Gene ID	597
Gene Symbol	BCL2A1
Dilution range	WB 1:500-2000 ELISA 1:5000-20000
Specificity	B2LA1 Polyclonal Antibody detects endogenous levels of protein.
Tissue Specificity	Seems to be restricted to the hematopoietic compartment. Expressed in peripheral blood, spleen, and bone marrow, at moderate levels in lung, small intestine and testis, at a minimal levels in other tissues. Also found in vascular smooth muscle cells and hematopoietic malignancies.
Purification	B2LA1 antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Note	For Research Use Only (RUO).
Protein Name	Bcl-2-related protein A1 Bcl-2-like protein 5 Bcl2-L-5 Hemopoietic-specific early response protein Protein BFL-1 Protein GRS
Molecular Weight	19 kDa
Clonality	Polyclonal

Conjugation	Unconjugated
Isotype	IgG
Formulation	Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide.
Concentration	1 mg/ml
Storage Instruction	Store at -20°C, and avoid repeat freeze-thaw cycles.
Database Links	HGNC:9910MIM:601056
Alternative Names	Bcl-2-related protein A1 Bcl-2-like protein 5 Bcl2-L-5 Hemopoietic-specific early response protein Protein BFL-1 Protein GRS
Function	Retards apoptosis induced by IL-3 deprivation. May function in the response of hemopoietic cells to external signals and in maintaining endothelial survival during infection . Can inhibit apoptosis induced by serum starvation in the mammary epithelial cell line HC11 .
Cellular Localization	Cytoplasm.

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W <http://www.stjohnslabs.com/>

E info@stjohnslabs.com