
Anti-ACSS1 antibody



Description Rabbit polyclonal to ACSS1.

Model STJ91458

Host Rabbit

Reactivity Human, Mouse

Applications ELISA, IHC, WB

Immunogen Synthesized peptide derived from human ACSS1

Immunogen Region 580-660 aa, C-terminal

Gene ID <u>84532</u>

Gene Symbol ACSS1

Dilution range WB 1:500-1:2000IHC 1:100-1:300ELISA 1:40000

Specificity ACSS1 Polyclonal Antibody detects endogenous levels of ACSS1 protein.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name Acetyl-coenzyme A synthetase 2-like, mitochondrial Acetate--CoA ligase 2

Acetyl-CoA synthetase 2 AceCS2 Acyl-CoA synthetase short-chain family

member 1

Molecular Weight 75 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:16091OMIM:614355</u>

Alternative Names Acetyl-coenzyme A synthetase 2-like, mitochondrial Acetate--CoA ligase 2

Acetyl-CoA synthetase 2 AceCS2 Acyl-CoA synthetase short-chain family

member 1

Function Important for maintaining normal body temperature during fasting and for

energy homeostasis. Essential for energy expenditure under ketogenic

conditions . Converts acetate to acetyl-CoA so that it can be used for oxidation

through the tricarboxylic cycle to produce ATP and CO(2).

Cellular Localization Mitochondrion matrix

Post-translational Reversibly acetylated on Lys-642. The acetyl-CoA synthase activity is

Modifications inhibited by acetylation and activated by deacetylation.

St John's Laboratory Ltd

F +44 (0)207 681 2580

W http://www.stjohnslabs.com/ E info@stjohnslabs.com

T +44 (0)208 223 3081 **E** info@