


Anti-BTF antibody



Description	Rabbit polyclonal to BTF.
Model	STJ91907
Host	Rabbit
Reactivity	Human, Mouse, Rat
Applications	ELISA, WB
Immunogen	Synthesized peptide derived from human BTF
Immunogen Region	250-330 aa, Internal
Gene ID	9774
Gene Symbol	BCLAF1
Dilution range	WB 1:500-1:2000ELISA 1:10000
Specificity	BTF Polyclonal Antibody detects endogenous levels of BTF protein.
Tissue Specificity	Ubiquitous.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Note	For Research Use Only (RUO).
Protein Name	Bcl-2-associated transcription factor 1 Btf BCLAF1 and THRAP3 family member 1
Molecular Weight	110 kDa
Clonality	Polyclonal

Conjugation	Unconjugated
Isotype	IgG
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Concentration	1 mg/ml
Storage Instruction	Store at -20°C, and avoid repeat freeze-thaw cycles.
Database Links	HGNC:16863OMIM:612588
Alternative Names	Bcl-2-associated transcription factor 1 Btf BCLAF1 and THRAP3 family member 1
Function	Death-promoting transcriptional repressor. May be involved in cyclin-D1/CCND1 mRNA stability through the SNARP complex which associates with both the 3'end of the CCND1 gene and its mRNA.
Cellular Localization	Cytoplasm. Nucleus. Nucleus speckle Nucleus, nucleoplasm
Post-translational Modifications	Citrullinated by PADI4.

St John's Laboratory Ltd

F +44 (0)207 681 2580
T +44 (0)208 223 3081

W <http://www.stjohnslabs.com/>
E info@stjohnslabs.com