


Anti-Cadherin-16 antibody



Description Rabbit polyclonal to Cadherin-16.

Model STJ91959

Host Rabbit

Reactivity Human

Applications ELISA, IF, IHC, WB

Immunogen Synthesized peptide derived from human Cadherin-16

Immunogen Region 750-830 aa, C-terminal

Gene ID <u>1014</u>

Gene Symbol CDH16

Dilution range WB 1:500-1:2000IHC 1:100-1:300IF 1:200-1:1000ELISA 1:10000

Specificity Cadherin-16 Polyclonal Antibody detects endogenous levels of Cadherin-16

protein.

Tissue Specificity Kidney specific.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name Cadherin-16 Kidney-specific cadherin Ksp-cadherin

Molecular Weight 89 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:1755OMIM:603118</u>

Alternative Names Cadherin-16 Kidney-specific cadherin Ksp-cadherin

Function Cadherins are calcium-dependent cell adhesion proteins. They preferentially

interact with themselves in a homophilic manner in connecting cells; cadherins may thus contribute to the sorting of heterogeneous cell types.

Sequence and Domain Family Three calcium ions are usually bound at the interface of each cadherin domain

and rigidify the connections, imparting a strong curvature to the full-length

ectodomain.

Cellular Localization Cell membrane

St John's Laboratory Ltd

F +44 (0)207 681 2580 **T** +44 (0)208 223 3081

W http://www.stjohnslabs.com/

E info@stjohnslabs.com