


## **Anti-CD34 antibody**



**Description** Rabbit polyclonal to CD34.

Model STJ92122

**Host** Rabbit

**Reactivity** Human, Mouse

**Applications** ELISA, WB

**Immunogen** Synthesized peptide derived from human CD34.

Immunogen Region Internal

**Gene ID** <u>947</u>

Gene Symbol CD34

**Dilution range** WB 1:500-1:2000ELISA 1:10000

**Specificity** CD34 Polyclonal Antibody detects endogenous levels of CD34 protein.

**Tissue Specificity** Selectively expressed on hematopoietic progenitor cells and the small vessel

endothelium of a variety of tissues.

**Purification** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

**Note** For Research Use Only (RUO).

**Protein Name** Hematopoietic progenitor cell antigen CD34 CD antigen CD34

Molecular Weight 36 kDa

**Clonality** Polyclonal

**Conjugation** Unconjugated

**Isotype** IgG

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

**Concentration** 1 mg/ml

**Storage Instruction** Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:1662OMIM:142230</u>

Alternative Names Hematopoietic progenitor cell antigen CD34 CD antigen CD34

**Function** Possible adhesion molecule with a role in early hematopoiesis by mediating

the attachment of stem cells to the bone marrow extracellular matrix or directly to stromal cells. Could act as a scaffold for the attachment of lineage specific glycans, allowing stem cells to bind to lectins expressed by stromal cells or other marrow components. Presents carbohydrate ligands to selectins.

**Cellular Localization** Membrane. Single-pass type I membrane protein.

**Post-translational** Highly glycosylated.; Phosphorylated on serine residues by PKC.

**Modifications** 

**St John's Laboratory Ltd F** +44 (0)207 681 2580

**F** +44 (0)207 681 2580 **W** http://www.stjohnslabs.com/ **T** +44 (0)208 223 3081 **E** info@stjohnslabs.com