


Anti-Cdc40 antibody



Description	Rabbit polyclonal to Cdc40.
Model	STJ92172
Host	Rabbit
Reactivity	Human, Mouse, Rat
Applications	ELISA, IHC, WB
Immunogen	Synthesized peptide derived from human Cdc40
Immunogen Region	150-230 aa, Internal
Gene ID	51362
Gene Symbol	CDC40
Dilution range	WB 1:500-1:2000IHC 1:100-1:300ELISA 1:40000
Specificity	Cdc40 Polyclonal Antibody detects endogenous levels of Cdc40 protein.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Note	For Research Use Only (RUO).
Protein Name	Pre-mRNA-processing factor 17 Cell division cycle 40 homolog EH-binding protein 3 Ehb3 PRP17 homolog hPRP17
Molecular Weight	66 kDa
Clonality	Polyclonal
Conjugation	Unconjugated

Isotype	IgG
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Concentration	1 mg/ml
Storage Instruction	Store at -20°C, and avoid repeat freeze-thaw cycles.
Database Links	HGNC:17350 OMIM:605585
Alternative Names	Pre-mRNA-processing factor 17 Cell division cycle 40 homolog EH-binding protein 3 Ehb3 PRP17 homolog hPRP17
Function	Associates with the spliceosome late in the splicing pathway and may function in the second step of pre-mRNA splicing.
Cellular Localization	Nucleus

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W <http://www.stjohnslabs.com/>

E info@stjohnslabs.com