


Anti-CdcA4 antibody



Description	Rabbit polyclonal to CdcA4.
Model	STJ92185
Host	Rabbit
Reactivity	Human, Mouse
Applications	ELISA, IF, IHC
Immunogen	Synthesized peptide derived from human CdcA4
Immunogen Region	90-170 aa, Internal
Gene ID	55038
Gene Symbol	CDCA4
Dilution range	IHC 1:100-1:300IF 1:200-1:1000ELISA 1:5000
Specificity	CdcA4 Polyclonal Antibody detects endogenous levels of CdcA4 protein.
Tissue Specificity	Highest levels of expression in the pancreas, thymus, testis, spleen, liver, placenta and leukocytes. Relatively low levels in the lung, kidney, prostate, ovary, small intestine and colon. Hardly detectable, if at all, in the brain, skeletal muscle and heart.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Note	For Research Use Only (RUO).
Protein Name	Cell division cycle-associated protein 4 Hematopoietic progenitor protein
Molecular Weight	26.114 kDa

Clonality	Polyclonal
Conjugation	Unconjugated
Isotype	IgG
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Concentration	1 mg/ml
Storage Instruction	Store at -20°C, and avoid repeat freeze-thaw cycles.
Database Links	HGNC:14625OMIM:612270
Alternative Names	Cell division cycle-associated protein 4 Hematopoietic progenitor protein
Function	May participate in the regulation of cell proliferation through the E2F/RB pathway. May be involved in molecular regulation of hematopoietic stem cells and progenitor cell lineage commitment and differentiation .
Cellular Localization	Nucleus

St John's Laboratory Ltd

F +44 (0)207 681 2580
T +44 (0)208 223 3081

W <http://www.stjohnslabs.com/>
E info@stjohnslabs.com