


Anti-CDHF10 antibody



Description	Rabbit polyclonal to CDHF10.
Model	STJ92190
Host	Rabbit
Reactivity	Human, Mouse, Rat
Applications	ELISA, IF, IHC
Immunogen	Synthesized peptide derived from human CDHF10
Immunogen Region	2750-2830 aa, C-terminal
Gene ID	1952
Gene Symbol	CELSR2
Dilution range	IHC 1:100-1:300IF 1:200-1:1000ELISA 1:5000
Specificity	CDHF10 Polyclonal Antibody detects endogenous levels of CDHF10 protein.
Tissue Specificity	Highest expression in brain and testis.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Note	For Research Use Only (RUO).
Protein Name	Cadherin EGF LAG seven-pass G-type receptor 2 Cadherin family member 10 Epidermal growth factor-like protein 2 EGF-like protein 2 Flamingo homolog 3 Multiple epidermal growth factor-like domains protein 3 Multiple EGF-I
Molecular Weight	317.453 kDa

Clonality	Polyclonal
Conjugation	Unconjugated
Isotype	IgG
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Concentration	1 mg/ml
Storage Instruction	Store at -20°C, and avoid repeat freeze-thaw cycles.
Database Links	HGNC:32310 MIM:604265
Alternative Names	Cadherin EGF LAG seven-pass G-type receptor 2 Cadherin family member 10 Epidermal growth factor-like protein 2 EGF-like protein 2 Flamingo homolog 3 Multiple epidermal growth factor-like domains protein 3 Multiple EGF-I
Function	Receptor that may have an important role in cell/cell signaling during nervous system formation.
Cellular Localization	Cell membrane. Multi-pass membrane protein.
Post-translational Modifications	The iron and 2-oxoglutarate dependent 3-hydroxylation of aspartate and asparagine is (R) stereospecific within EGF domains.

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W <http://www.stjohnslabs.com/>

E info@stjohnslabs.com