
Anti-Cdk10 antibody



Description Rabbit polyclonal to Cdk10.

Model STJ92195

Host Rabbit

Reactivity Human, Mouse, Rat

Applications ELISA, IHC, WB

Immunogen Synthesized peptide derived from human Cdk10

Immunogen Region 30-110 aa, Internal

Gene ID <u>8558</u>

Gene Symbol CDK10

Dilution range WB 1:500-1:2000IHC 1:100-1:300ELISA 1:10000

Specificity Cdk10 Polyclonal Antibody detects endogenous levels of Cdk10 protein.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name Cyclin-dependent kinase 10 Cell division protein kinase 10 Serine/threonine-

protein kinase PISSLRE

Molecular Weight 46//34 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:1770OMIM:603464</u>

Alternative Names Cyclin-dependent kinase 10 Cell division protein kinase 10 Serine/threonine-

protein kinase PISSLRE

Function Cyclin-dependent kinase that phosphorylates the transcription factor ETS2 (in

vitro) and positively controls its proteasomal degradation (in cells).

St John's Laboratory Ltd

F +44 (0)207 681 2580

W http://www.stjohnslabs.com/ E info@stjohnslabs.com

T +44 (0)208 223 3081