


Anti-DcR3 antibody



Description	Rabbit polyclonal to DcR3.
Model	STJ92668
Host	Rabbit
Reactivity	Human
Applications	ELISA, IF, IHC, WB
Immunogen	Synthesized peptide derived from human DcR3
Immunogen Region	220-300 aa, C-terminal
Gene ID	8771
Gene Symbol	TNFRSF6B
Dilution range	WB 1:500-1:2000IHC 1:100-1:300IF 1:200-1:1000ELISA 1:5000
Specificity	DcR3 Polyclonal Antibody detects endogenous levels of DcR3 protein.
Tissue Specificity	Detected in fetal lung, brain and liver. Detected in adult stomach, spinal cord, lymph node, trachea, spleen, colon and lung. Highly expressed in several primary tumors from colon, stomach, rectum, esophagus and in SW480 colon carcinoma cells.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Note	For Research Use Only (RUO).
Protein Name	Tumor necrosis factor receptor superfamily member 6B Decoy receptor 3 DcR3 Decoy receptor for Fas ligand M68

Molecular Weight	32 kDa
Clonality	Polyclonal
Conjugation	Unconjugated
Isotype	IgG
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Concentration	1 mg/ml
Storage Instruction	Store at -20°C, and avoid repeat freeze-thaw cycles.
Database Links	HGNC:11921OMIM:603361
Alternative Names	Tumor necrosis factor receptor superfamily member 6B Decoy receptor 3 DcR3 Decoy receptor for Fas ligand M68
Function	Decoy receptor that can neutralize the cytotoxic ligands TNFSF14/LIGHT, TNFSF15 and TNFSF6/FASL. Protects against apoptosis.
Cellular Localization	Secreted.

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W <http://www.stjohnslabs.com/>

E info@stjohnslabs.com