

Anti-DZIP3 antibody



Description	Rabbit polyclonal to DZIP3.
Model	STJ92805
Host	Rabbit
Reactivity	Human
Applications	ELISA, IHC, WB
Immunogen	Synthesized peptide derived from human DZIP3
Immunogen Region	650-730 aa, Internal
Gene ID	9666
Gene Symbol	DZIP3
Dilution range	WB 1:500-1:2000IHC 1:100-1:300ELISA 1:40000
Specificity	DZIP3 Polyclonal Antibody detects endogenous levels of DZIP3 protein.
Tissue Specificity	Widely expressed at low level. Highly expressed in skeletal muscle, kidney and heart. Expressed at low level in placenta, lung, brain, liver and pancreas.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Note	For Research Use Only (RUO).
Protein Name	E3 ubiquitin-protein ligase DZIP3 DAZ-interacting protein 3 RING-type E3 ubiquitin transferase DZIP3 RNA-binding ubiquitin ligase of 138 kDa hRUL138
Molecular Weight	140 kDa

Clonality	Polyclonal
Conjugation	Unconjugated
Isotype	IgG
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Concentration	1 mg/ml
Storage Instruction	Store at -20°C, and avoid repeat freeze-thaw cycles.
Database Links	HGNC:30938OMIM:608672
Alternative Names	E3 ubiquitin-protein ligase DZIP3 DAZ-interacting protein 3 RING-type E3 ubiquitin transferase DZIP3 RNA-binding ubiquitin ligase of 138 kDa hRUL138
Function	E3 Ubiquitin ligase proteins mediate ubiquitination and subsequent proteasomal degradation of target proteins. E3 ubiquitin ligases accept ubiquitin from an E2 ubiquitin-conjugating enzyme in the form of a thioester and then directly transfers the ubiquitin to targeted substrates. Able to specifically bind RNA.
Cellular Localization	Cytoplasm

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W <http://www.stjohnslabs.com/>

E info@stjohnslabs.com