


## Anti-Fatty Acid Synthase antibody



|                           |  |
|---------------------------|--|
| <b>Description</b>        | Rabbit polyclonal to Fatty Acid Synthase.  |
| <b>Model</b>              | STJ93048   |
| <b>Host</b>               | Rabbit   |
| <b>Reactivity</b>         | Human  |
| <b>Applications</b>       | ELISA, WB  |
| <b>Immunogen</b>          | Synthesized peptide derived from human Fatty Acid Synthase.  |
| <b>Immunogen Region</b>   | Internal   |
| <b>Gene ID</b>            | <a href="#">2194</a>   |
| <b>Gene Symbol</b>        | <a href="#">FASN</a>   |
| <b>Dilution range</b>     | WB 1:500-1:2000ELISA 1:10000   |
| <b>Specificity</b>        | Fatty Acid Synthase Polyclonal Antibody detects endogenous levels of Fatty Acid Synthase protein.  |
| <b>Tissue Specificity</b> | Ubiquitous. Prominent expression in brain, lung, and liver.  |
| <b>Purification</b>       | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  |
| <b>Note</b>               | For Research Use Only (RUO).   |
| <b>Protein Name</b>       | Fatty acid synthase Includes: Acyl-carrier-protein S-acetyltransferase Acyl-carrier-protein S-malonyltransferase 3-oxoacyl- acyl-carrier-protein synthase 3-oxoacyl- acyl-carrier-protein reductase 3-hy |
| <b>Molecular Weight</b>   | 270 kDa  |

|                              |  |
|------------------------------|--|
| <b>Clonality</b>             | Polyclonal   |
| <b>Conjugation</b>           | Unconjugated   |
| <b>Isotype</b>               | IgG  |
| <b>Formulation</b>           | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  |
| <b>Concentration</b>         | 1 mg/ml  |
| <b>Storage Instruction</b>   | Store at -20°C, and avoid repeat freeze-thaw cycles.   |
| <b>Database Links</b>        | <a href="#">HGNC:3594OMIM:600212</a>   |
| <b>Alternative Names</b>     | Fatty acid synthase Includes: Acyl-carrier-protein S-acetyltransferase Acyl-carrier-protein S-malonyltransferase 3-oxoacyl- acyl-carrier-protein synthase 3-oxoacyl- acyl-carrier-protein reductase 3-hy |
| <b>Function</b>              | Fatty acid synthetase catalyzes the formation of long-chain fatty acids from acetyl-CoA, malonyl-CoA and NADPH. This multifunctional protein has 7 catalytic activities and an acyl carrier protein.     |
| <b>Cellular Localization</b> | Cytoplasm Melanosome. Identified by mass spectrometry in melanosome fractions from stage I to stage IV.  |

---

**St John's Laboratory Ltd**

**F** +44 (0)207 681 2580

**T** +44 (0)208 223 3081

**W** <http://www.stjohnslabs.com/>

**E** [info@stjohnslabs.com](mailto:info@stjohnslabs.com)