

Anti-Granzyme H antibody



Description Rabbit polyclonal to Granzyme H.

Model STJ93415

Host Rabbit

Reactivity Human

Applications ELISA, IF, IHC, WB

Immunogen Synthesized peptide derived from human Granzyme H

Immunogen Region 30-110 aa, Internal

Gene ID 2999

Gene Symbol GZMH

Dilution range WB 1:500-1:2000IHC 1:100-1:300IF 1:200-1:1000ELISA 1:40000

Specificity Granzyme H Polyclonal Antibody detects endogenous levels of Granzyme H

protein.

Tissue Specificity Constitutively expressed in NK cells.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name Granzyme H CCP-X Cathepsin G-like 2 CTSGL2 Cytotoxic T-lymphocyte

proteinase Cytotoxic serine protease C CSP-C

Molecular Weight 23 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:4710OMIM:116831</u>

Alternative Names Granzyme H CCP-X Cathepsin G-like 2 CTSGL2 Cytotoxic T-lymphocyte

proteinase Cytotoxic serine protease C CSP-C

Function Cytotoxic chymotrypsin-like serine protease with preference for bulky and

aromatic residues at the P1 position and acidic residues at the P3' and P4' sites. Probably necessary for target cell lysis in cell-mediated immune responses. Participates in the antiviral response via direct cleavage of several proteins

essential for viral replication.

Cellular Localization Cytoplasmic granule. Cytoplasmic granules of cytolytic T-lymphocytes.

St John's Laboratory Ltd

F +44 (0)207 681 2580

T+44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com