


## Anti-NUCKS antibody



<b>Description</b>	Rabbit polyclonal to NUCKS.
<b>Model</b>	STJ94572
<b>Host</b>	Rabbit
<b>Reactivity</b>	Human, Mouse, Rat
<b>Applications</b>	ELISA, IHC
<b>Immunogen</b>	Synthesized peptide derived from human NUCKS
<b>Immunogen Region</b>	40-120 aa, Internal
<b>Gene ID</b>	<a href="#">64710</a>
<b>Gene Symbol</b>	<a href="#">NUCKS1</a>
<b>Dilution range</b>	IHC 1:100-1:300ELISA 1:10000
<b>Specificity</b>	NUCKS Polyclonal Antibody detects endogenous levels of NUCKS protein.
<b>Tissue Specificity</b>	Widely expressed, with highest levels in thyroid gland, prostate and uterus and in fetal liver, thymus and lung.
<b>Purification</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Note</b>	For Research Use Only (RUO).
<b>Protein Name</b>	Nuclear ubiquitous casein and cyclin-dependent kinase substrate 1 P1
<b>Molecular Weight</b>	27.296 kDa
<b>Clonality</b>	Polyclonal

<b>Conjugation</b>	Unconjugated
<b>Isotype</b>	IgG
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Concentration</b>	1 mg/ml
<b>Storage Instruction</b>	Store at -20°C, and avoid repeat freeze-thaw cycles.
<b>Database Links</b>	<a href="#">HGNC:29923OMIM:611912</a>
<b>Alternative Names</b>	Nuclear ubiquitous casein and cyclin-dependent kinase substrate 1 P1
<b>Cellular Localization</b>	Nucleus.
<b>Post-translational Modifications</b>	Phosphorylated by CDK1 and casein kinase.

---

**St John's Laboratory Ltd**

**F** +44 (0)207 681 2580  
**T** +44 (0)208 223 3081

**W** <http://www.stjohnslabs.com/>  
**E** [info@stjohnslabs.com](mailto:info@stjohnslabs.com)