

Anti-Rag B antibody



Description Rabbit polyclonal to Rag B.

Model STJ95356

Host Rabbit

Reactivity Human, Mouse, Rat

Applications ELISA, IHC

Immunogen Synthesized peptide derived from human Rag B

Immunogen Region 50-130 aa, Internal

Gene ID <u>10325</u>

Gene Symbol RRAGB

Dilution range IHC 1:100-1:300ELISA 1:40000

Specificity Rag B Polyclonal Antibody detects endogenous levels of Rag B protein.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name Ras-related GTP-binding protein B Rag B RagB

Molecular Weight 43.25 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links HGNC:199010MIM:300725

Alternative Names Ras-related GTP-binding protein B Rag B RagB

Function Guanine nucleotide-binding protein that plays a crucial role in the cellular

response to amino acid availability through regulation of the mTORC1 signaling cascade. Forms heterodimeric Rag complexes with RRAGC or RRAGD and cycles between an inactive GDP-bound and an active GTP-bound form. In its active form participates in the relocalization of mTORC1 to the lysosomes and its subsequent activation by the GTPase RHEB. Involved

in the RCC1/Ran-GTPase pathway.

Cellular Localization Cytoplasm Lysosome

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com