


Anti-S-100 alpha antibody



Description Rabbit polyclonal to S-100 alpha.

Model STJ95562

Host Rabbit

Reactivity Human, Mouse, Rat

Applications ELISA, IF, IHC, WB

Immunogen Synthesized peptide derived from human S-100 alpha

Immunogen Region 10-90 aa, N-terminal

Gene ID <u>6271</u>

Gene Symbol S100A1

Dilution range WB 1:500-1:2000IHC 1:100-1:300IF 1:200-1:1000ELISA 1:20000

Specificity S-100 alpha Polyclonal Antibody detects endogenous levels of S-100 alpha

protein.

Tissue Specificity Highly prevalent in heart. Also found in lesser quantities in skeletal muscle

and brain.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name Protein S100-A1 S-100 protein alpha chain S-100 protein subunit alpha S100

calcium-binding protein A1

Molecular Weight 10 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links HGNC:10486OMIM:176940

Alternative Names Protein S100-A1 S-100 protein alpha chain S-100 protein subunit alpha S100

calcium-binding protein A1

Function Probably acts as a Ca(2+) signal transducer. In response to an increase in

intracellular Ca(2+) levels, binds calcium which triggers a conformational change . This conformational change allows interaction of S1001A with specific target proteins, such as TPR-containing proteins, and the modulation

of their activity.

Cellular Localization Cytoplasm

St John's Laboratory Ltd

F +44 (0)207 681 2580 **T** +44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com