


Anti-SLK antibody



Description	Rabbit polyclonal to SLK.
Model	STJ95685
Host	Rabbit
Reactivity	Human, Mouse, Rat
Applications	ELISA, IF, IHC, WB
Immunogen	Synthesized peptide derived from human SLK
Immunogen Region	1120-1200 aa, C-terminal
Gene ID	9748
Gene Symbol	SLK
Dilution range	WB 1:500-1:2000IHC 1:100-1:300IF 1:200-1:1000ELISA 1:5000
Specificity	SLK Polyclonal Antibody detects endogenous levels of SLK protein.
Tissue Specificity	Ubiquitously expressed. Highest expression is found in heart and in skeletal muscle.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Note	For Research Use Only (RUO).
Protein Name	STE20-like serine/threonine-protein kinase STE20-like kinase hSLK CTCL tumor antigen se20-9 STE20-related serine/threonine-protein kinase STE20-related kinase Serine/threonine-protein kinase 2
Molecular Weight	150 kDa

Clonality	Polyclonal
Conjugation	Unconjugated
Isotype	IgG
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Concentration	1 mg/ml
Storage Instruction	Store at -20°C, and avoid repeat freeze-thaw cycles.
Database Links	HGNC:11088OMIM:616563
Alternative Names	STE20-like serine/threonine-protein kinase STE20-like kinase hSLK CTCL tumor antigen se20-9 STE20-related serine/threonine-protein kinase STE20-related kinase Serine/threonine-protein kinase 2
Function	Mediates apoptosis and actin stress fiber dissolution.
Cellular Localization	Cytoplasm
Post-translational Modifications	Proteolytically cleaved by caspase-3.; Autophosphorylated.

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W <http://www.stjohnslabs.com/>

E info@stjohnslabs.com