


Anti-Synaptotagmin antibody



Description

4

Rabbit polyclonal to Synaptotagmin.

Model STJ95849

Host Rabbit

Reactivity Human, Mouse, Rat

Applications ELISA, IHC, WB

Immunogen Synthesized peptide derived from human Synaptotagmin 1/2 around the non-

phosphorylation site of S309/306.

Immunogen Region 250-330 aa

Gene ID 6857
Gene Symbol SYT1

Dilution range WB 1:500-1:2000IHC 1:100-1:300ELISA 1:20000

Specificity Synaptotagmin Polyclonal Antibody detects endogenous levels of

Synaptotagmin protein.

Tissue Specificity Expressed in melanocytes .

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name Synaptotagmin-1 Synaptotagmin I SytI p65

Molecular Weight 65/50 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:11509OMIM:185605</u>

Alternative Names Synaptotagmin-1 Synaptotagmin I SytI p65

Function May have a regulatory role in the membrane interactions during trafficking of

synaptic vesicles at the active zone of the synapse. It binds acidic

phospholipids with a specificity that requires the presence of both an acidic head group and a diacyl backbone. A Ca(2+)-dependent interaction between synaptotagmin and putative receptors for activated protein kinase C has also been reported. It can bind to at least three additional proteins in a Ca(2+)-independent manner; these are neurexins, syntaxin and AP2. Plays a role in

dendrite formation by melanocytes.

Sequence and Domain Family The first C2 domain mediates Ca(2+)-dependent phospholipid binding. The

second C2 domain mediates interaction with SV2A and probably with STN2.

Cellular Localization Cytoplasmic vesicle, secretory vesicle membrane Cytoplasmic vesicle,

secretory vesicle, synaptic vesicle membrane Cytoplasmic vesicle, secretory vesicle, chromaffin granule membrane Cytoplasm. Synaptic vesicles and

chromaffin granules.

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com