


Anti-TAF5L antibody



Description Rabbit polyclonal to TAF5L.

Model STJ95896

Host Rabbit

Reactivity Human, Simian

Applications ELISA, IHC, WB

Immunogen Synthesized peptide derived from human TAF5L

Immunogen Region 260-340 aa, Internal

Gene ID 27097

Gene Symbol TAF5L

Dilution range WB 1:500-1:2000IHC 1:100-1:300ELISA 1:10000

Specificity TAF5L Polyclonal Antibody detects endogenous levels of TAF5L protein.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name TAF5-like RNA polymerase II p300/CBP-associated factor-associated factor

65 kDa subunit 5L PCAF-associated factor 65 beta PAF65-beta

Molecular Weight 66 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:17304</u>OMIM:NA

Alternative Names TAF5-like RNA polymerase II p300/CBP-associated factor-associated factor

65 kDa subunit 5L PCAF-associated factor 65 beta PAF65-beta

Function Functions as a component of the PCAF complex. The PCAF complex is

capable of efficiently acetylating histones in a nucleosomal context. The PCAF complex could be considered as the human version of the yeast SAGA

complex.

Cellular Localization Nucleus

 $\textbf{St John's Laboratory Ltd} \hspace{1.5cm} \textbf{F} + 44 \ (0) 207 \ 681 \ 2580$

T +44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com