

## **Anti-TAGAP** antibody



**Description** Rabbit polyclonal to TAGAP.

Model STJ95899

**Host** Rabbit

**Reactivity** Human

**Applications** ELISA, IHC

Immunogen Synthesized peptide derived from human TAGAP

Immunogen Region 160-240 aa, Internal

**Gene ID** <u>117289</u>

Gene Symbol TAGAP

**Dilution range** IHC 1:100-1:300ELISA 1:5000

**Specificity** TAGAP Polyclonal Antibody detects endogenous levels of TAGAP protein.

**Purification** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

**Note** For Research Use Only (RUO).

Protein Name T-cell activation Rho GTPase-activating protein T-cell activation GTPase-

activating protein

**Molecular Weight** 80.703 kDa

**Clonality** Polyclonal

**Conjugation** Unconjugated

**Isotype** IgG

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

**Concentration** 1 mg/ml

**Storage Instruction** Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:15669OMIM:609667</u>

Alternative Names T-cell activation Rho GTPase-activating protein T-cell activation GTPase-

activating protein

Function May function as a GTPase-activating protein and may play important roles

during T-cell activation.

St John's Laboratory Ltd

**F** +44 (0)207 681 2580

W http://www.stjohnslabs.com/ E info@stjohnslabs.com

T +44 (0)208 223 3081