

Anti-TIN2 antibody



Description Rabbit polyclonal to TIN2.

Model STJ96027

Host Rabbit

Reactivity Human

Applications ELISA, IHC, WB

Immunogen Synthesized peptide derived from human TIN2

Immunogen Region 40-120 aa, Internal

Gene ID 26277

Gene Symbol TINF2

Dilution range WB 1:500-1:2000IHC 1:100-1:300ELISA 1:10000

Specificity TIN2 Polyclonal Antibody detects endogenous levels of TIN2 protein.

Tissue Specificity Detected in heart, brain, placenta, lung, liver, skeletal muscle, kidney and

pancreas.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name TERF1-interacting nuclear factor 2 TRF1-interacting nuclear protein 2

Molecular Weight 53 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:11824OMIM:268130</u>

Alternative Names TERF1-interacting nuclear factor 2 TRF1-interacting nuclear protein 2

Function Component of the shelterin complex (telosome) that is involved in the

regulation of telomere length and protection. Shelterin associates with arrays of double-stranded TTAGGG repeats added by telomerase and protects chromosome ends; without its protective activity, telomeres are no longer hidden from the DNA damage surveillance and chromosome ends are inappropriately processed by DNA repair pathways. Plays a role in shelterin complex assembly. Isoform 1 may have additional role in tethering telomeres

to the nuclear matrix.

Sequence and Domain Family The TBM domain mediates interaction with TERF1.

Cellular Localization Nucleus Chromosome, telomere. Associated with telomeres.. Isoform 1:

Nucleus matrix

St John's Laboratory Ltd

F +44 (0)207 681 2580 **T** +44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com