


Anti-TTK antibody





Description Rabbit polyclonal to TTK.	
--	--

Model STJ96137

Host Rabbit

Reactivity Human, Mouse

Applications ELISA, IHC, WB

Immunogen Synthesized peptide derived from human TTK around the non-

phosphorylation site of T676.

Immunogen Region 620-700 aa

Gene ID <u>7272</u>

Gene Symbol TTK

Dilution range WB 1:500-1:2000IHC 1:100-1:300ELISA 1:10000

Specificity TTK Polyclonal Antibody detects endogenous levels of TTK protein.

Tissue Specificity Present in rapidly proliferating cell lines.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name Dual specificity protein kinase TTK Phosphotyrosine picked threonine-protein

kinase PYT

Molecular Weight 100 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:12401OMIM:604092</u>

Alternative Names Dual specificity protein kinase TTK Phosphotyrosine picked threonine-protein

kinase PYT

Function Phosphorylates proteins on serine, threonine, and tyrosine. Probably

associated with cell proliferation. Essential for chromosome alignment by enhancing AURKB activity (via direct CDCA8 phosphorylation) at the

centromere, and for the mitotic checkpoint.

St John's Laboratory Ltd

F +44 (0)207 681 2580

T+44 (0)208 223 3081

W http://www.stjohnslabs.com/ E info@stjohnslabs.com