


Anti-HGFA antibody



Description Rabbit polyclonal to HGFA.

Model STJ96435

Host Rabbit

Reactivity Human, Mouse, Rat

Applications ELISA, WB

Immunogen Synthesized peptide derived from human HGFA.

Immunogen Region C-terminal

Gene ID <u>3083</u>

Gene Symbol HGFAC

Dilution range WB 1:500-1:2000ELISA 1:40000

Specificity HGFA Polyclonal Antibody detects endogenous levels of HGFA protein.

Tissue Specificity Liver.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Note For Research Use Only (RUO).

Protein Name Hepatocyte growth factor activator HGF activator HGFA Hepatocyte growth

factor activator short chain Hepatocyte growth factor activator long chain

Molecular Weight 70 kDa

Clonality Polyclonal

Conjugation Unconjugated

Isotype IgG

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Concentration 1 mg/ml

Storage Instruction Store at -20°C, and avoid repeat freeze-thaw cycles.

Database Links <u>HGNC:4894OMIM:604552</u>

Alternative Names Hepatocyte growth factor activator HGFA Hepatocyte growth

factor activator short chain Hepatocyte growth factor activator long chain

Function Activates hepatocyte growth factor (HGF) by converting it from a single chain

to a heterodimeric form.

Cellular Localization Secreted as an inactive single-chain precursor and is then activated

to a heterodimeric form.

St John's Laboratory Ltd

F +44 (0)207 681 2580

W http://www.stjohnslabs.com/

T +44 (0)208 223 3081 **E** info@stjohnslabs.com