


Anti-Eotaxin-3 antibody



Description	Rabbit polyclonal to Eotaxin-3.
Model	STJ96515
Host	Rabbit
Reactivity	Human
Applications	ELISA, IHC, WB
Immunogen	Synthesized peptide derived from human Eotaxin-3.
Immunogen Region	Internal
Gene ID	10344
Gene Symbol	CCL26
Dilution range	WB 1:500-1:2000IHC-P 1:100-300ELISA 1:20000
Specificity	Eotaxin-3 Polyclonal Antibody detects endogenous levels of Eotaxin-3 protein.
Tissue Specificity	Ubiquitously expressed at low levels in various tissues including heart and ovary.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Note	For Research Use Only (RUO).
Protein Name	C-C motif chemokine 26 CC chemokine IMAC Eotaxin-3 Macrophage inflammatory protein 4-alpha MIP-4-alpha Small-inducible cytokine A26 Thymic stroma chemokine-1 TSC-1

Molecular Weight	12 kDa
Clonality	Polyclonal
Conjugation	Unconjugated
Isotype	IgG
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Concentration	1 mg/ml
Storage Instruction	Store at -20°C, and avoid repeat freeze-thaw cycles.
Database Links	HGNC:10625OMIM:604697
Alternative Names	C-C motif chemokine 26 CC chemokine IMAC Eotaxin-3 Macrophage inflammatory protein 4-alpha MIP-4-alpha Small-inducible cytokine A26 Thymic stroma chemokine-1 TSC-1
Function	Chemoattractant for eosinophils and basophils . Acts as a ligand for C-C chemokine receptor CCR3 which triggers Ca(2+) mobilization in eosinophils .
Cellular Localization	Secreted

St John's Laboratory Ltd

F +44 (0)207 681 2580

T +44 (0)208 223 3081

W <http://www.stjohnslabs.com/>

E info@stjohnslabs.com